




Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	E	HCS CLASS: Corrosive liquid.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Factory Formula SC	Code	171
Synonym	Super Concentrate Cleaner/Degreaser	CAS #	Not applicable.
Chemical Family	Not available.	Validation Date	3/2/2007
Chemical Formula	Not applicable.	Print Date	3/28/2007
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	Chemtrec (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing 	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Water	7732-18-5	50 - 60	Not available.	Not available.
Anionic Surfactant	25155-30-0	10 - 15	Not available.	Not available.
Sodium Metasilicate	6834-92-0	5 - 10	Not available.	Not available.
Nonionic Surfactant	66455-15-0	1 - 5	Not available.	Not available.
Nonionic Surfactant	9016-45-9	1 - 5	Not available.	Not available.
Sodium Xylene Sulfonate	1300-72-7	1 - 5	Not available.	ORAL (LD50): Acute: 650 mg/kg [Rat]. 5939 mg/kg [Mouse].
Triethanolamine	102-71-6	<1	Not available.	ORAL (LD50): Acute: 4000 mg/kg [Rat].
Citrus Terpenes	5989-27-5	<1	Not available.	ORAL (LD50): Acute: 5000 mg/kg [Rat]. DERMAL (LD50): Acute: 5000 mg/kg [Rabbit].
Anionic Surfactant	5324-84-5	<1	Not available.	Not available.

Section 3. Hazards Identification

Potential Acute Health Effects	Extremely hazardous in case of eye contact (irritant). Very hazardous in case of skin contact (irritant). Hazardous in case of skin contact (corrosive), of inhalation. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.
Potential Chronic Health Effects	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may result in skin burns and ulcerations.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Corrosive to eyes and skin. Hold eye open and rinse slowly and thoroughly with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.
Skin Contact	Remove contaminated clothing and shoes. Rinse skin with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration., preferably mouth to mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.

Section 5. Fire Fighting Measures

Products of Combustion	Not available.
Fire Fighting Media and Instructions	N/A
Special Remarks on Fire Hazards	N/A
Special Remarks on Explosion Hazards	N/A


Section 6. Accidental Release Measures

Small Spill and Leak	Safety glasses.
Large Spill and Leak	Corrosive liquid. Absorb with an inert material and put the spilled material in an appropriate waste disposal.
Personal Protection in Case of a Large Spill	Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Section 7. Handling and Storage

Precautions	Avoid breathing vapors or spray mists. Keep away from incompatibles. If swallowed, seek medical advice immediately and show this container or label. Good general ventilation should be sufficient to control airborne levels. Do not ingest.
Incompatibility	Strong acids.
Storage	Keep out of the reach of children. Not for use or storage in or around the home.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Good general ventilation should be sufficient to control airborne levels.
Personal Protection	
<i>Eyes</i>	Splash goggles.
<i>Body</i>	No special protective clothing is required.
<i>Respiratory</i>	Wear appropriate respirator when ventilation is inadequate.
<i>Hands</i>	Gloves (impervious).
Protective Clothing (Pictograms)	
Exposure Limits	Not available.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid.	Odor	Pleasant.
Molecular Weight	Not applicable.	Taste	Not available.
pH	12.5 to 13 [Basic.]	Color	Amber.
Boiling/Condensation Point	214°F initial		
Melting/Freezing Point	Not available.		
Critical Temperature	Not available.		
Instability Temperature	Not available.		
Specific Gravity	1.09 (Water = 1)		
Vapor Pressure	20mm Hg @ 68°F		
Vapor Density	>1 (Air = 1)		
Volatility	70		
VOC	Not available.		
Evaporation Rate	<1 compared to Water		
Dispersion Properties	See solubility in water.		
Solubility	Easily soluble in cold water.		
The Product is:	May be combustible at high temperature.		
Auto-ignition Temperature	Not available.		
Flash Points	Not available.		
Flammable Limits	Not available.		
Fire Hazards in Presence of Various Substances	No specific information is available in our database regarding the flammability of this product in presence of various materials.		
Explosion Hazards in Presence of Various Substances	No specific information is available in our database regarding the product's risks of explosion in the presence of various materials.		

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	Strong acids.
Hazardous Decomposition Products	not available

Section 11. Toxicological Information

Routes of Entry	Eye contact. Inhalation.
Toxicity to Animals	Acute oral toxicity (LD50): 4000 mg/kg [Rat]. (Triethanolamine).
Acute Effects on Humans	<p>Eyes Extremely hazardous in case of eye contact (irritant). Corrosive to eyes. Inflammation of the eye is characterized by redness, watering, and itching. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract.</p> <p>Skin Very hazardous in case of skin contact (irritant). Hazardous in case of skin contact (corrosive). Skin contact may produce burns. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.</p> <p>Inhalation Hazardous in case of inhalation (lung irritant). Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Over-exposure by inhalation may cause respiratory irritation.</p> <p>Ingestion May be fatal if swallowed. May cause burns to mouth, throat, and stomach.</p>
Chronic Effects on Humans	Over-exposure by inhalation may cause respiratory irritation. Prolonged exposure may result in skin burns and ulcerations.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity	Not available.
BOD5 and COD	Not Available
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	Not available.
Special Remarks on the Products of Biodegradation	No additional remark.

Section 13. Disposal Considerations

Waste Information	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
Waste Stream	Not available.

Section 14. Transport Information

**DOT (U.S.A)
(Pictograms)**



TDG Classification

8



PIN UN, Proper Shipping Name, PG Shipping name: Corrosive liquids n.o.s. UNNA: 1760 PG: II

Maritime Transportation Not available.

Special Provisions for Transport Not available.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) E



Regulatory Lists No products were found.


Other Regulations OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications	HCS (U.S.A.)	HCS CLASS: Corrosive liquid.
	USA Regulatory Lists	California prop. 65: This product contains the following ingredients for which the State of California has found to cause reproductive harm (female) which would require a warning under the statute: Ethylene Oxide < 1 ppm California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Ethylene Oxide < 1 ppm Massachusetts RTK: Ethylene Oxide SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Citrus Terpenes: fire, immediate health hazard
	DSD (EEC)	This product is not classified according to the EU regulations.
International Regulations Lists	No products were found.	

Hazardous Material Information System (U.S.A.)

Health	3
Flammability	0
Physical Hazard	0

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product. Specific Hazard

Section 16. Other Information

Validated by CRushton on 3/2/2007.

Verified by CRushton.

Printed 3/28/2007.

Information Contact Betco Corporation
1001 Brown Avenue
Toledo, Ohio 43607

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Continued on Next Page