





Material Safety Data Sheet

This MSDS is prepared in accordance with OSHA 29 CFR 1910.1200

	Not controlled under WHMIS (Canada).	HCS CLASS: Irritating substance.
WHMIS (Pictograms)	WHMIS (Classification)	HCS

Section 1. Chemical Product and Company Identification

Product Name/ Trade name	Floor Sealer	Code	607
Synonym	Metal Interlocked Acrylic Polymer Floor Finish	CAS #	Mixture.
Chemical Family	N/A	Validation Date	3/2/2007
Chemical Formula	Not applicable.	Print Date	3/24/2007
Manufacturer/ Supplier	Betco Corporation 1001 Brown Avenue Toledo, Ohio 43607 (419) 241-2156	In Case of Emergency	CHEMTREC (800) 424-9300
TSCA	TSCA Inventory: All components listed or are exempt from listing.		
DSL/ NDSL	All components listed unless noted elsewhere on this MSDS		
		Protective Clothing 	

Section 2. Composition and Information on Ingredients

Name	CAS #	% by Weight	Exposure Limits	LC ₅₀ /LD ₅₀
Acrylic Polymer	N/A	10-15	Not available.	Not available.
Tributoxyethyl Phosphate	78-51-3	0-5	Not available.	Not available.
Homopolymer	68441-73-6	0-5	Not available.	Not available.
Diethylene Glycol Ethyl Ether	111-90-0	0-5	TWA: 25 CEIL: 25 (ppm)	ORAL (LD50): Acute: 5540 mg/kg [Rat].
Ammonium Hydroxide	1336-21-6	0.01-1	Not available.	Not available.

Section 3. Hazards Identification

Potential Acute Health Effects	May cause mild irritation to the skin. This product is an eye irritant.
Potential Chronic Health Effects	Repeated skin exposure can produce local skin destruction, or dermatitis.
Carcinogenic Effects	Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.

Section 4. First Aid Measures

Eye Contact	Flush with large quantities of water. Seek medical attention if irritation persists.
Skin Contact	Flush with water. Seek medical attention if irritation persists.
Inhalation	N/A
Ingestion	Dilute with two glasses of water. Seek medical attention if symptoms persist.

Section 5. Fire Fighting Measures

Products of Combustion Not Available

Fire Fighting Media and Instructions N/A

Special Remarks on Fire Hazards N/A

Special Remarks on Explosion Hazards N/A

Section 6. Accidental Release Measures

Small Spill and Leak Absorb with an inert material and place in an appropriate waste disposal container.

Large Spill and Leak Absorb with an inert material and put the spilled material in an appropriate waste disposal.

Personal Protection in Case of a Large Spill Gloves. Splash goggles. Boots.

Section 7. Handling and Storage

Precautions Avoid contact with skin and eyes.

Incompatibility None known.

Storage Keep out of reach of children. For Institutional and Commercial Use Not for use or storage in or around the home.

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels.

Personal Protection

Eyes Splash goggles.

Body No special protective clothing is required.

Respiratory Not applicable.

Hands Gloves.

Protective Clothing (Pictograms)



Exposure Limits Not available.

Section 9. Physical and Chemical Properties

Physical State and Appearance Liquid

Odor Characteristic.

Molecular Weight Not applicable.

Taste Not available.

pH 8.1 to 8.9 [Basic.]

Color White.

Boiling/Condensation Point 212°F initial

Melting/Freezing Point Not available.

Critical Temperature Not available.

Instability Temperature Not available.

Specific Gravity 1.017 (Water = 1)

Vapor Pressure 20mm Hg @ 68°F

Vapor Density	>1 (Air = 1)
Volatility	
VOC	Not available.
Evaporation Rate	<1
Dispersion Properties	Dispersed in cold water, hot water, methanol, diethyl ether, n-octanol, acetone.
Solubility	Soluble
The Product is:	Non-flammable.
Auto-ignition Temperature	Not Available
Flash Points	None to Boiling (TCC)
Flammable Limits	Not Applicable
Fire Hazards in Presence of Various Substances	not available
Explosion Hazards in Presence of Various Substances	Not Applicable

Section 10. Stability and Reactivity Data

Stability	The product is stable.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	Will not occur.

Section 11. Toxicological Information

Routes of Entry	Eye Contact Ingestion. INHALATION Skin contact.
Toxicity to Animals	Acute oral toxicity (LD50): 5000 mg/kg [Rat]. (Propylene Glycol).
Acute Effects on Humans	
	<i>Eyes</i> Eye irritant. May cause redness and swelling of the conjunctiva.
	<i>Skin</i> Prolonged or repeated contact may cause irritation or dermatitis.
	<i>Inhalation</i> N/A
	<i>Ingestion</i> May be irritating to the gastrointestinal system. Vomiting and diarrhea expected with large doses.
Chronic Effects on Humans	Repeated skin exposure can produce local skin destruction, or dermatitis.
Special Remarks on Toxicity to Animals	No additional remark.
Special Remarks on Chronic Effects on Humans	No additional remark.

Section 12. Ecological Information

Ecotoxicity Not Available

BOD5 and COD Not Available

Products of Biodegradation Not Available

Toxicity of the Products of as toxic as the original product.
Biodegradation

Special Remarks on the Products of Biodegradation No additional remark.


Section 13. Disposal Considerations

Waste Information Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Waste Stream Not available.

Section 14. Transport Information

DOT (U.S.A)
(Pictograms)



TDG Classification Not controlled under TDG (Canada).



PIN UN, Proper Shipping Name, PG Not applicable.

Maritime Transportation Not available.

Special Provisions for Transport Not applicable.

Section 15. Other Regulatory Information and Pictograms

WHMIS (Classification) Not controlled under WHMIS (Canada).



Regulatory Lists CEPA DSL: No products were found.

Other Regulations Not available. or of its ingredients

Other Classifications

HCS (U.S.A.)

HCS CLASS: Irritating substance.

USA Regulatory Lists

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer, birth defects or other reproductive harm, which would require a warning under the statute: Formaldehyde <0.1%

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: Formaldehyde <0.1%

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Diethylene Glycol Methyl Ether
 SARA 313 toxic chemical notification and release reporting: Diethylene Glycol Methyl Ether


DSD (EEC) This product is not classified according to the EU regulations.

International Regulations Lists No products were found.

Hazardous Material Information System (U.S.A.)

Health	1
Flammability	0
Physical Hazard	0

National Fire Protection Association (U.S.A.)



The Hazard Ranking systems presented on this MSDS provide only a quick reference for hazard information. The ENTIRE MSDS must be consulted to determine any specific hazards, First Aid measures, and PPE associated with this product. **Specific Hazard**

Section 16. Other Information

Validated by CRushton on 3/2/2007.

Verified by CRushton.

Printed 3/24/2007.

Information Contact Betco Corporation
 1001 Brown Avenue
 Toledo, Ohio 43607

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Validated on 3/2/2007.

Floor Sealer

Page: 5/5

Continued on Next Page